


# CHOLESTEROL OXIDASE [CON II -FD]

Lyophilized type

from *Rhodococcus* sp.  
(Cholesterol: oxygen oxidoreductase, EC 1.1.3.6)



## Preparation and Specification

Appearance : Yellowish amorphous powder, lyophilized  
Specific activity : More than 15 U/mg solid

## Properties

Substrate specificity	: See Table 1	
Molecular weight	: 61.8 KDa (SDS-PAGE)	
Isoelectric point	: pH 4.5	
Michaelis constant	: Cholesterol $6.0 \times 10^{-5}\text{M}$	
Optimum pH	: 7.0-7.5	Figure 1
pH stability	: 5.7-7.8 (65°C, 10 min)	Figure 2
Optimum temperature	: 50°C (Tris-HCl buffer)	Figure 3
Thermal stability	: Stable at 65°C and below (pH 7.0, 10 min)	Figure 4 and Figure 5
Effects of detergents	: See Table 2	

## Applications for Diagnostic Test

This enzyme is useful for enzymatic determination of **total cholesterol**, **HDL-C**, and **LDL-C** when coupled with cholesterol esterase (T-18 and T-98).









Table 1. Substrate specificity

Substrate (1mM)	Relative activity (%)
Cholesterol	100
$\beta$ -Cholesterol	93
Pregnenolone	98
Dehydro-iso-androsterone	10
$\beta$ -Sitosterol	94
Stigmasterol	66
Androsterol	2
Teststerone	1
Cholic acid	3

Table 2. Effect of detergents on CON II-FD activity

Detergents (0.1%)	Relative activity (%)
Triton X-100	100
Emulgen 810	101
Emulgen 911	113
Emulgen 709	107
Emulgen 109P	118
Adekatal SO-120	100
RHEODOL 460	63
SM 1080	122



## Assay

### Principle

The assay is based on the increase in absorbance at 240 nm as  $\Delta^4$ -cholesten-3-one is produced in the following reaction:



### Unit definition

One unit is defined as the amount of enzyme which liberates 1  $\mu\text{mole}$  of  $\Delta^4$ -cholesten-3-one per minute at 37°C under the conditions specified in the assay procedure.

### Reagents

1. Substrate solution (6 mM cholesterol solution)

Dissolve 232 mg of cholesterol with isopropanol to make a total of 100 ml.

2. Enzyme dilution buffer  
0.1 M KH<sub>2</sub>PO<sub>4</sub>-Na<sub>2</sub>HPO<sub>4</sub> buffer pH 7.0 containing  
0.05% (W/V) Triton X-100  
※ Prepare the enzyme dilution buffer two days before  
use and keep it in the refrigerator until use.

3. Reagents  
Cholesterol : NACALAI TESQUE, INC. Special grade  
#08721  
Triton X-100 : The Dow Chemical Company

### ■ Enzyme solution

Accurately weigh about 20 mg of the sample and add enzyme dilution buffer to make a total of 20 ml. After 1-1.5 hour incubation at room temperature, dilute it with enzyme dilution buffer to adjust the concentration to within 0.1-0.2 U/ml.

### ■ Procedure

- Pipette accurately 3.0ml of enzyme dilution buffer and 50 µl of enzyme solution and preincubate at 37°C.  
※ In the case of a test blank, add 50 µl of enzyme dilution buffer in place of enzyme solution.
- After 5 min, add 50 µl of substrate solution and mix to start the reaction at 37°C.
- After starting the reaction, measure the rate of increase per minute in absorbance at 240nm. The rate must be measured within the linear portion of the absorbance curve.

Absorbance sample : As/min  
blank : Ab/min

## CON II-FD 活性測定法 (Japanese)

### I. 試薬液

- 基質溶液 (6mM コレスチロール溶液)  
コレスチロール 232mg をイソプロパノールに溶解して全容 100ml とする。
- 酵素溶解希釈用液  
0.05% (W/V) トリトン X-100 を含む  
0.1M KH<sub>2</sub>PO<sub>4</sub>-Na<sub>2</sub>HPO<sub>4</sub> 緩衝液 pH7.0  
※酵素溶解希釈用液は使用する 2 日前に調製し、使用まで冷蔵保存する。
- 試薬  
コレステロール : ナカライテスク製 特級  
#08721  
トリトン X-100 : Dow Chemical 製

### II. 酵素試料液

検品約 20mg を精密に量り、酵素溶解希釈用液で溶解して全容 20ml とする。室温にて 1~1.5 時間放置し、その液を酵素溶解希釈用液で約 0.1-0.2U/ml 濃度となるように適宜希釈する。

### III. 測定操作法

- 小試験管に酵素溶解希釈用液 3.0ml と酵素試料液 50 µl を正確に加え 37°C で予備加温する。

$$0.010 \text{ Abs/min} \leq \Delta A/\text{min} = (\text{As}/\text{min}-\text{Ab}/\text{min}) \\ \leq 0.060 \text{ Abs/min}$$

### ■ Calculation

$$\text{Activity (U/mg)} = \frac{\Delta A/\text{min}}{12.2} \times \frac{3.10}{0.05} \times \frac{1}{X}$$

12.2 : millimolar extinction coefficient of Δ<sup>4</sup>-Cholesten-3-one at 240 nm (cm<sup>2</sup> / µmole)

3.10 : final volume (ml)

0.05 : volume of enzyme solution (ml)

X : concentration of the sample in enzyme solution (mg/ml)

### Storage

Storage at -20°C in the presence of a desiccant is recommended. Enzyme activity will be retained for at least one year under this condition.

### References

- Richmond, W. (1973) Clin. Chem., **19**, 1350.
- Flegg, H. M. (1973) Ann. Clin. Biochem., **10**, 79.
- Alain, C. C. et al. (1973) Clin. Chem., **20**, 470.
- Tarbutton, P. N. and Gunter, C. R. (1974) Clin. Chem., **20**, 724.
- Nomoto, S. (1976) Rinsho Kensa, **20**, 688.
- Kameno, K., Nakano, N. and Baba, S. (1976) Jap. J. Clin. Path., **24**, 650.

※盲検は酵素試料液の代りに酵素溶解希釈用液 50 µl を加える。

- 5 分経過後、基質溶液 50 µl を正確に加えて混和し、37°C で反応を開始する。
- 反応開始後、240nm における吸光度を測定して直線的に反応している 1 分間当たりの吸光変化を求める。求められた吸光度変化を試料液は As/min、盲検液は Ab/min とする。

$$0.010 \text{ Abs/min} \leq \Delta A/\text{min} = (\text{As}/\text{min}-\text{Ab}/\text{min}) \\ \leq 0.060 \text{ Abs/min}$$

### IV. 計算

$$\text{活性 (U/mg)} = \frac{\Delta A/\text{min}}{12.2} \times \frac{3.10}{0.05} \times \frac{1}{X}$$

12.2: Δ<sup>4</sup>-コレステン-3-オンの 240nm におけるミリモル分子吸光係数 (cm<sup>2</sup> / µmole)

3.10: 反応総液量 (ml)

0.05: 反応に供した酵素試料液量 (ml)

X : 酵素試料液の検品濃度 (mg/ml)